

Cambridge International Examinations Cambridge International General Certificate of Secondary Education

	CANDIDATE NAME		
	CENTRE NUMBER		CANDIDATE NUMBER
* 3 0 3 2 0 4 3 5 7 7	BIOLOGY Paper 6 Alternative to Practical		0610/63 October/November 2015 1 hour
4 3 5 7 7		wer on the Question Paper. Iaterials are required.	

READ THESE INSTRUCTIONS FIRST

Write your Centre number, candidate number and name on all the work you hand in. Write in dark blue or black pen. You may use an HB pencil for any diagrams or graphs. Do not use staples, paper clips, glue or correction fluid. DO NOT WRITE IN ANY BARCODES.

Answer all questions.

Electronic calculators may be used. You may lose marks if you do not show your working or if you do not use appropriate units.

At the end of the examination, fasten all your work securely together. The number of marks is given in brackets [] at the end of each question or part question.

The syllabus is approved for use in England, Wales and Northern Ireland as a Cambridge International Level 1/Level 2 Certificate.


This document consists of **11** printed pages and **1** blank page.



BLANK PAGE

3

- 1 A student tested some solid egg white for protein.
 - (a) (i) Describe the method the student would use to test the egg white for protein.







Fig. 1.1

Fig. 1.2 shows the students' results.





(b) (i) In order to see patterns in the data more clearly, it is necessary to convert times from minutes and seconds into seconds.

Test-tube A had not turned clear after 900 seconds.

State the time **in seconds** it took for the pieces of egg white in test-tubes **B** and **C** to turn clear.

Test-tube **B**seconds

[1]

(ii) Draw and complete a table to show the students' results.

(c)	Using the results in (b)(ii), describe the pattern shown.
	[2]
(d)	State the purpose of test-tube A in the investigation.
	[1]
(e)	The test-tubes were kept at 40°C throughout the investigation.
	Suggest why this is important.
	[2]
(f)	The students put the same mass of egg white into each test-tube.
	However, the size of the pieces of egg white was not controlled.
	Suggest why this is a source of error in this investigation.
	[1]

(g) Enzymes usually have a pH at which they work fastest. This is called the optimum pH. Fig. 1.3 shows the rate of activity of three different enzymes over a range of pH values.




Fig. 1.3

- (i) State the optimum pH for arginase.
 -[1]
- (ii) Your stomach contains acid. Suggest which enzyme is most likely to be found in your stomach.

.....[1]

[Total: 17]

2 Fig. 2.1 shows a leaf from a plant.





(a) Draw a large diagram of the leaf shown in Fig. 2.1.

[3]

(b) A group of students investigated the rate of transpiration from four leaves.

They covered different surfaces of the leaves with petroleum jelly. Petroleum jelly creates a waterproof barrier.

They then measured the mass of each leaf.

The leaves were left hanging from a piece of string in a warm place for 24 hours.

The students then measured the mass of each leaf again.

Table 2.1 shows their results.

leaf	surfaces covered with petroleum jelly	mass at start / g	mass at end / g	percentage decrease in mass /%
Р	upper and lower	4.8	4.6	4.2
Q	upper only	4.6	4.1	10.9
R	lower only	4.6	4.3	6.5
S	none	4.2	3.5	

Table 2.1


(i) Calculate the percentage decrease in mass for leaf S.

Show your working.

Write your answer to one decimal place.

.....% [2]

(ii) Suggest why it is important to calculate the percentage decrease in mass for each leaf.



(iii) Plot a bar chart to show the percentage decrease in mass for each leaf.

9

[4]

(iv) Use the results to explain whether the upper or lower surface of the leaf loses the most water.


.....[1]

(c) The students decided to investigate how temperature affects the rate of transpiration.

Suggest the variable they should change (independent variable), the variables they should control (control variables) and the variable they should measure (dependent variable).

dependent variable
ontrol variables
ependent variable
[4]
[Total: 16]

3 Fig. 3.1 is a photomicrograph of some human blood cells.




2 mm

Fig. 3.1

Fig. 3.2 is a photomicrograph of some frog blood cells.

ŀ



2 mm

-

Fig. 3.2

(a) Complete Table 3.1 to show how human red blood cells are different from frog red blood cells.

feature	human red blood cells	frog red blood cells

[3]

(b) Both photomicrographs have the same magnification.

Measure the length of the scale bar in millimetres.

length of scale bar mm

Use the scale bar to calculate the magnification of the photomicrographs.

Show your working.

Give your answer to the nearest whole number.

	magnification ×
	[3]
(c)	The structure of frog red blood cells means that they can undergo a process that human red blood cells cannot.
	Suggest what this process might be.
	[1]
	[Total: 7]

Permission to reproduce items where third-party owned material protected by copyright is included has been sought and cleared where possible. Every reasonable effort has been made by the publisher (UCLES) to trace copyright holders, but if any items requiring clearance have unwittingly been included, the publisher will be pleased to make amends at the earliest possible opportunity.

To avoid the issue of disclosure of answer-related information to candidates, all copyright acknowledgements are reproduced online in the Cambridge International Examinations Copyright Acknowledgements Booklet. This is produced for each series of examinations and is freely available to download at www.cie.org.uk after the live examination series.

Cambridge International Examinations is part of the Cambridge Assessment Group. Cambridge Assessment is the brand name of University of Cambridge Local Examinations Syndicate (UCLES), which is itself a department of the University of Cambridge.